




## Numit 5% Cream

In stock  
**SKU** Numit 5%  
Cream

Product Name	Qty
<b>Numit 5% Cream - 10g</b> €13.83	<input type="text" value="0"/>
<b>Numit 5% Cream - 30g</b> €32.50	<input type="text" value="0"/>

 Add to Wish List

 Add to Compare

Numit 5% Cream is an Australian-made topical anaesthetic cream containing 5% lignocaine. It provides effective skin numbing before tattoos, waxing, laser treatments, vaccinations and minor cosmetic procedures. Available over-the-counter for adult use.

### Details

## What is Numit 5% Cream?

Numit 5% Cream is an Australian over-the-counter topical anaesthetic cream containing 5% lignocaine. It numbs the skin surface to reduce discomfort during tattoos, waxing, laser hair removal, microneedling, vaccinations and other minor skin procedures. Manufactured to TGA standards for safe self-application by adults.

## What is Numit 5% Cream used for?

- Tattoo and cosmetic procedure preparation.
- Waxing and laser hair removal sessions.
- Microneedling and skin needling.
- Pre-injection numbing for needle-phobic adults.
- Minor cosmetic procedures - mole assessment, biopsies (with practitioner approval).
- Permanent makeup and microblading.



## Active ingredient

- **Lignocaine 5% w/w** - local anaesthetic that blocks nerve signals from skin to brain, producing a numb sensation within 30-60 minutes of application.
- Cream base for easy application and uniform spreading.
- Adult use only - not formulated for paediatric use.

## How to apply Numit 5% Cream

1. Wash the area with mild soap and water; pat dry.
2. Apply a generous, thick layer of Numit 5% Cream to the area (do not rub in - leave as a visible layer).
3. Cover with cling film (occlusion) to maximise penetration.
4. Leave on for 45 to 60 minutes (up to 90 minutes for thicker skin).
5. Wipe off excess just before the procedure.
6. Skin will be numb for 1-2 hours after removal.

## Warnings and precautions

- Adult use only. Not for children without medical guidance.
- Do not apply to broken, irritated or infected skin.
- Do not apply to mucous membranes, eye area, genitals or large body areas.
- Do not exceed 30g per single application.
- Stop use and seek medical advice if dizziness, numbness beyond the application area, irregular heartbeat or skin reaction occurs.
- Use sparingly during pregnancy and only on medical advice.

## Frequently asked questions

How long does Numit 5% Cream take to numb the skin?

Apply Numit 5% Cream generously to clean, dry skin 30-60 minutes before the procedure. Cover with cling film for best penetration. Numbing peaks at 60-90 minutes and lasts 1-2 hours. Wipe off excess just before the procedure begins.

Is Numit 5% Cream safe for tattoos and waxing?

Yes - Numit 5% is one of the most commonly used over-the-counter numbing creams for tattoos, waxing, laser hair removal and microneedling in Australia. Always test a small area first and follow the application time on the label. Do not apply to broken skin or large body areas without medical advice.



### Can children use Numit 5% Cream?

Numit 5% is intended for adult use. For children, paediatric numbing creams with lower lignocaine concentration or EMLA (lignocaine + prilocaine) are typically used under medical supervision before vaccinations or blood tests. Always check with your doctor or pharmacist before using on a child.

### Where should you NOT apply Numit 5%?

Do not apply to broken or inflamed skin, mucous membranes, the eye area, genitals, or large areas of the body (>10% body surface). Lignocaine absorbed over large areas can cause systemic side effects including dizziness, irregular heartbeat or seizures. Use only as directed.

Sources: [Therapeutic Goods Administration \(TGA\)](#), [healthdirect.gov.au](http://healthdirect.gov.au).